



**COMPACT
IN SIZE**

**COST
EFFECTIVE**

**CONVENIENT
TO USE**




XRF-10

PC

HV

PWR

XRF 10




Features :

- Fast & Easy Method
- One Plug operation
- In-built Computer
- Touch Screen
- Fast Warm up time
- Software Upgradable
- Calibration & Service support through online
- Power supply designed for Indian Conditions

Applications:

- Retail Jewellers
- Jewel Loan Centres
- Banks
- NBFC

Usage Directions :



Technical Specifications :

Analysis Range	1 ppm to 99.99 %
Accuracy	≤ 0.1%
Sample Form	Solid, Power, Liquid
Tube Voltage	5kv -50 kv
High Voltage Power Supply	0-50 kv Spellman (USA)
Filters	HD Camera
Detector Type	Selectable Customized Switches
Multichannel Analyzer	Multi Channel Stimulation
Sample Chamber Size	380 x 380 x 60 mm
Testing Time	10 sec / 100 sec
Measuring Element	Au Ag Pt Pd Ni Cu Zn Cd In Rh
Software	Windows Based
Machine Dimension	430x425x375 mm
Weight	26 Kgs.

Benefits :

- Easy to Identify the Purity of the Metals
- Creates trust, reputation with customers
- Transparent transaction to avoid bargaining
- Build confidence with customers
- Showcase the quality to your customers
- Hazzle free transaction during exchange and old gold purchase